Message

From: Theis, Joseph [Theis.Joseph@epa.gov]

Sent: 8/4/2017 3:57:25 PM

To: Wilson, Dane [Wilson.Dane@epa.gov]

Subject: RE: MMSD Follow Up

Ex. 5 Deliberative Process (DP)

Joseph G. Theis
Associate Director
Water Enforcement Division
Office of Enforcement and Compliance Assurance
U.S. EPA (2243A)
1200 Pennsylvania Ave, NW
Washington, D.C. 20460
(202)564-4053

This email may contain deliberative, attorney-client, attorney work product or otherwise privileged material. Do not release under FOIA without appropriate review. If this email has been received by you in error, you are instructed to delete it from your machine and all storage media whether electronic or hard copy.

From: Wilson, Dane

Sent: Friday, August 04, 2017 11:18 AM **To:** Theis, Joseph < Theis. Joseph@epa.gov>

Subject: RE: MMSD Follow Up

Joe,

Ex. 5 Deliberative Process (DP)

Thanks, Dane

From: Theis, Joseph

Sent: Thursday, August 03, 2017 5:53 PM **To:** Wilson, Dane < <u>Wilson.Dane@epa.gov</u>>

Subject: Fwd: MMSD Follow Up

Dane,

Ex. 5 Deliberative Process (DP)

From: "Moore, John (Matthew)" < moore.johnm@epa.gov >

To: "Theis, Joseph" <Theis.Joseph@epa.gov>

Subject: FW: MMSD Follow Up

Ex. 5 Deliberative Process (DP)

Γhanks,	
Matt Moore	
From: Richard S. Davis [mailto:RDavis@bdlaw.com] Sent: Thursday, July 27, 2017 4:40 PM To: Moore, John (Matthew) < <u>moore.johnm@epa.gov</u> > Cc: Maraldo, Dean < <u>Maraldo.Dean@epa.gov</u> >; Richard S. Davis < <u>RDavis@bdlaw.com</u> > Subject: MMSD Follow Up	
Matt,	
Ex. 5 Deliberative Process (DF	')
Richard	
Richard S. Davis Principal	
BEVERIDGE & DIAMOND, P.C. 1350 I Street, NW, Suite 700, Washington, DC 20005 1350 T +1.202.789.6025 F +1.202.789.6190 RDavis@bdlaw.com	al-Sachraphachae was(w

CONFIDENTIALITY STATEMENT: This electronic message contains information from the law firm of Beveridge & Diamond, P.C. and may be confidential or privileged. The information is intended solely for the use of the individual(s) or entity(ies) named above. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this message is prohibited. If you have received this e-mail in error, please notify us immediately by telephone at +1.202.789,6000 or by e-mail reply and delete this message. Thank you.